

TEFCOLD 

 Minibars




TEFCOLD 

MINIBARS

absorbtion coolers

The Tefcold minibars are available in three different sizes, with solid or glass door. The absorption system ensures silent operation, and all models are supplied with key lock and internal LED light.



» Minibars



Interior LED light

TM50G Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock



TM30G Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible glass door
- 1 adjustable shelf
- Automatic defrost
- Lock



TM40G Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock

Technical specifications

Model	TM30G Black	TM40G Black	TM50G Black
Climate Class, N,SN,ST,T	N	N	N
Temperature Range, °C	5-12	5-12	5-12
Gross Volume, l	31	41	51
Net Volume, l	30	40	50
External Dimensions, WxDxH	402x420x500	402x452x560	402x452x670
Internal Dimensions, WxDxH	316x215x400	316x245x459	316x245x569
Doors	1 glass	1 glass	1 glass
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	3 feet	3 feet	3 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	90
Energy Consumption, kWh/24h	See www.tefcold.dk	See www.tefcold.dk	See www.tefcold.dk
Gross Weight, kg	19	21,5	24
Net Weight, kg	17,5	18,5	20
Noise Level dbA	-	-	-
Type of Cooling	Absorbition	Absorbition	Absorbition
Type of Defrost	Automatic	Automatic	Automatic
Controller	Mechanical	Mechanical	Mechanical
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED



» Minibars



TM30 Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible door
- 1 adjustable shelf
- Inner door shelf
- Automatic defrost
- Lock



TM40 Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock



TM50 Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock

Technical specifications

Model	TM30 Black	TM40 Black	TM50 Black
Climate Class	N	N	N
Temperature Range, °C	2-12	2-12	2-12
Gross Volume, l	31	41	51
Net Volume, l	30	40	50
External Dimensions, WxDxH	402x420x500	402x452x560	402x452x670
Internal Dimensions, WxDxH	316x215x400	316x245x459	316x245x569
Doors	1 solid	1 solid	1 solid
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	3 feet	3 feet	3 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	60
Energy Consumption, kWh/24h	See www.tefcold.dk	See www.tefcold.dk	See www.tefcold.dk
Gross Weight, kg	15	17,5	20
Net Weight, kg	13,5	14,5	16
Noise Level dbA	-	-	-
Type of Cooling	Absorbition	Absorbition	Absorbition
Type of Defrost	Automatic	Automatic	Automatic
Controller	Mechanical	Mechanical	Mechanical
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED



Black cabinets with grey inner liner



Available in white with white inner liner