

Valentine ⚡
SWISS MADE

TABLE-TOP FRYERS

TF 5
TF 55
TF 7
TF 7 Turbo
TF 77
TF 77 Turbo
TF 10
TF 13
TF Chip Scuttle



TABLE-TOP FRYERS

TF SERIES

TF7

Construction

Entirely in stainless steel.

Pan

Pressed from one piece of metal without welding and with rounded corners.

Chassis and pan

Removable for easy cleaning.

Easy to work

With 1 knob.

System dialogue

For maximum output.

Cool zone

Under the heating element.

Safety thermostat

With a reset button.



Top-quality components

Valentine has developed a table-top fryer which satisfies the expectations of even the most demanding customers, with a top-quality finish and an excellent quality performance.



Three-part fryer

For greater safety and easy maintenance, the TF series is divided into 3 parts, the control unit, the pan and the chassis. The last two components can be washed in a dishwasher.



Drain valve

All the TF models (except TF5) are fitted with a front drain valve allowing you to drain the oil.



Pan pressed from one piece of metal, without welding

Valentine has developed a tank pressed from one piece of metal. The absence of welding and the rounded corners make it easy to clean and guarantee optimum hygiene.

TABLE-TOP FRYERS

TF CHIP SCUTTLE

TF CHIP SCUTTLE

Keeps food hot

2 heating elements
(top and bottom)
For a better heat distribution.

Robust and solid

Easy to clean



Available to order
for all models



TABLE-TOP FRYERS

THE TAILOR-MADE SOLUTION

| | | | | | | | |
|----------------------------------|---|---|---|---|--|---|---|
| |  |  |  |  |  |  |  |
| Table-top fryers | TF 5 | TF 55 | TF 7 | TF 7 Turbo | TF 77 | TF 77 Turbo | TF 10 |
| Tank (litres) | 5 | 2 x 5 | 7 | 7 | 2 x 7 | 2 x 7 | 10 |
| Dimensions (mm) | | | | | | | |
| width | 280 | 420 | 280 | 280 | 560 | 560 | 360 |
| Depth | 415 | 415 | 415 | 415 | 415 | 415 | 415 |
| Height | 265-420 | 265-420 | 265-420 | 265-420 | 265-420 | 265-420 | 265-420 |
| Basket | | | | | | | |
| width | 220 | 2 x 155 | 220 | 220 | 2 x 220 | 2 x 220 | 305 |
| Depth | 235 | 2 x 235 | 235 | 235 | 2 x 235 | 2 x 235 | 235 |
| Height | 105 | 2 x 105 | 105 | 105 | 2 x 105 | 2 x 105 | 105 |
| Gross weight (kg) | 7 | 13 | 10 | 10 | 17 | 17 | 14 |
| Voltage (V)⁽³⁾ | 1N230V | 2 x (1 x 400V) | 1 x 400V | 1 x 400V | 2 x (1 x 400V) | 2 x (1 x 400V) | 3N400V |
| Kilowatts (kW) | 3 | 7,2 | 3,6 | 4,6 | 2 x 3,6 | 2 x 4,6 | 6,9 |
| Fuses (A) | 13 | 16 | 9 | 11,5 | 2 x 9 | 2 x 11,5 | 10 |
| |  |  | | | | | |
| Table-top fryers | TF 13 | TF CHIP SCUTTLE | | | | | |
| Tank (litres) | 13 | 10 | | | | | |
| Dimensions (mm) | | | | | | | |
| width | 560 | 370 | | | | | |
| Depth | 415 | 400 | | | | | |
| Height | 265-420 | 260-580 | | | | | |
| Basket | | | | | | | |
| width | 480 | - | | | | | |
| Depth | 235 | - | | | | | |
| Height | 105 | - | | | | | |
| Gross weight (kg) | 16 | 10 | | | | | |
| Voltage (V)⁽³⁾ | 3N400V | 1N230V | | | | | |
| Kilowatts (kW) | 6,9 | 0,8 | | | | | |
| Fuses (A) | 10 | 4 | | | | | |

(1) Other voltages, for example 3x230; 3 x 440, on demand
All changes reserved

Valentine 
SWISS MADE

Valentine Equipment Ltd
4 Trafford Road, Reading
Berkshire RG1 8JS

T +44 (0)118 957 1344
info@valentinefryers.com
www.valentinefryers.com