



Made in Italy

INSTRUCTION MANUAL

GROUND'S COFFEE DISSIPATOR
FOR BAR ESPRESSO MACHINE

CONTENTS OF THE PACKAGING

Brevetto N° 0001390346 - Patent No. 8,474,741

N° 1 Pro-Fondi
N° 1 feeder 12V
N° 1 ring for bag
N° 1 cleaning brush
N° 4 fixing screws

INFORMATION AND PRESENTATION OF THE PRODUCT AND THE PRODUCER

We thank you very much for having chosen Pro-Fondi

The first and unique dissipator of patented grounds. Read and keep these pages for a correct installation and a correct use of your appliance.

Useful news about Pro-Fondi

Pro-Fondi is an appliance that has been designed for the need to solve the problem of the grounds disposal in the public restaurants, coffee shop and bar. From an idea of Marco Ambrosini has been designed and realized Pro-Fondi, an electrical appliance that finally solve this problem in the best ways.

CONFORMITY

In conformity with the following European Directives has been applied the marking CE:

2006/42/CE	del 17/05/2006	(Machines Directives)
2006/95/CE	del 12/12/2006	(Low Voltage Directives)
2004/108/CE	del 15/12/2004	(EMC Directives)



The declaration of conformity is registered by the producer: Ambrodesign - Bovolino Street N° 94 - 36060 Buttapietra (VR) - Italy

N.B. For possible improvement of the product, we reserve ourselves the right to bring technical or aesthetic modifications to the dissipator Pro-Fondi or to the components that complete it.

WARNING AND USE INSTRUCTIONS - ATTENTION!!! - BEFORE BEGINNING TO USE PRO-FONDI

- Before using Pro-Fondi read attentively the manual that reports important instructions for its installation and use. It will help you to have a complete knowledge of your Pro-Fondi.
- Keep the manual with care and keep the packing in case you have to send Pro-Fondi to assistance center.
- Use Pro-Fondi only and exclusively for the cleaning of portafilter basket of professional coffee machines. Stick to the instructions for the normal and correct use illustrated and described in the manual. Every utilization different from that described in this manual can prevent the correct functioning and because of this, the guarantee on the product loses.
- Pro-Fondi disclaims all responsibilities regarding the bad functioning or the break of any part of the appliance due to the non compliance of the present warnings.
- Clean well the neck of the portafilter in order to obtain the best possible contact among the springs.
- The installation must be carried out only by skilled workers.
- In case of bad functioning or imperfection of one or more components it is recommended to replace them with original spare parts.
- Carry out the overtime maintenance only and exclusively by skilled workers making sure before operating, to disconnect the feeder cable from the intake.
- The irresponsible insertion of a hand or any other part of the human body is absolutely to avoid.
- In case it is necessary to disconnect the connectors from the gear motor, it is indispensable to connect them again respecting scrupulously the polarity and verify that as soon as they are reconnected, the impeller turn in a anticlockwise direction.
- It is not necessary particular cleaning or maintenance. It is sufficient periodically to keep the internal part cleaned with brush supplied WITHOUT REMOVING THE IMPELLER FROM ITS HEADQUARTERS.


INSTALLATION




Establish the location (in front of the grinder or in front of the coffee machine) make a hole with a diameter of 12 cm and the four holes for the clamping screws.

Apply the bag, secure it with the ring provided and connect the power supply to the outlet.


APPROPRIATE FILTERS



*Single portafilter basket models of Faema - Cimbali etc.
USE single portafilter basket of 7 grams
DO NOT USE the single portafilter basket of 5 grams*



*Correct portafilter basket for brands Faema - Cimbali etc.
Diameter 58 mm*




*Correct portafilter basket for brands San Marco - Spaziale
Diameter 53 - 55 mm*

DIRECTIONS OF USE




Please note that In order to ensure the proper operation of your Pro-Fondi you must follow the instructions exactly as described below. Violation of this page as specified may result in incorrect operation of your Pro-Fondi and may invalidate the warranty.

IMPORTANT CORRECT USE

- do not press forcefully the filter holder on the impeller but exercise a slight pressure
- when the impeller touches the bottom of the filter extract the filter holder, do not insist



CLEANING

 <p><i>Cleaning the inside of Pro-Fondi is to be completed while maintaining the impeller in his place.</i></p>	 <p><i>Never cleaning the inside without the impeller in his place. Once you clean the inside you can proceed by removing impeller and washing it with hot water.</i></p>	 <p><i>It's mportant to keep clean the seat of impeller and avoid in every way to deposit grounds coffee next to the gear.</i></p>
--	---	--

HOW TO SOLVE SOME INCONVENIENTS

· INCONVENIENT	TO CHECK
WHEN IT DOES NOT FUNCTION	<ul style="list-style-type: none"> • feeder not well inserted • connector between the feeder and dissipator not well inserted • pins of the contact springs detached • neck of the portafilter dirty
WHEN IT DOES NOT CLEAN WELL THE FILTER, OR WHEN THE IMPELLER DOES NOT ENTER WELL INTO THE FILTER	<ul style="list-style-type: none"> • not suitable filters