# Blixer® 6 V.V.



Number of 200-g portions per service	3 23
Amount processed per operation	0.6 – 4,5 kg

### A SALES FEATURES

**The Blixer 6 V.V.** can turn small amounts of cooked or raw ingredients into texture-modified meals (soft, puréed or liquid) in next to no time.

### **B** TECHNICAL FEATURES

Blixer 6 V.V. Single-phase. Power: 1,500 W. Variable speed: 300 – 3,500 rpm. 7-l stainless-steel bowl with handle, plus 100% stainless-steel, bowl-base, fine-serrated, twin-blade assembly. Totally leakproof lid with scraper arm. 3 – 23 portions (200 g).

Select the options you want from the list in Section (F) overleaf.

C TECHNIC	TECHNICAL DATA	
Output power	1,500 W	
Electrical datas	Single-phase 13 A – plug supplied	
Variable speed	300 – 3,500 rpm	
Dimensions (LxWxH)	280 x 350 x 535 mm	
Rate of recyclability	95 %	
Net weight	26 kg	
Reference	33155	

MARKING (E)

EN 12100-1 and 2 - 2004, EN 60204-1 - 2006,

EN 12852, EN 60529-2000 - IP55 - IP34

## PRODUCT FEATURES/BENEFITS

### **MOTOR UNIT**

- Industrial direct-drive (no belt) induction motor designed for intensive use
- Power 1,500 W
- Stainless-steel motor shaft
- All-metal motor base
- Magnetic safety system, thermal failsafe and motor brake
- Variable speed 300 3,500 rpm
- Pulse function for greater cutting precision

### BLIXER® FUNCTION

- 7-I stainless-steel bowl with handle for better grip.
- Bowl-base blade assembly with two high-strength, stainless-steel, fine-serrated blades for homogeneous processing – even for small amounts.
- **Central lid opening** for adding liquid or solid ingredients during processing.
- High heat- and shock-resistant see-through lid to monitor processing from start to finish.
- Leakproof lid and bowl unit with bowl scraper arm and lid wiper.
- All parts are dishwasher-safe and can easily be removed for cleaning.

### STANDARD ATTACHMENTS

- 7-litre bowl with lid.
- Bowl scraper arm and lid wiper.
- 100% stainless-steel, twin-blade assembly with detachable blades.



# Blixer® 6 V.V.

### F

# **OPTIONAL ATTACHMENTS**

- Additional bowl, blade assembly, lid and scraper arm unit – Ref. 27166
- Coarse-serrated, twin-blade assembly for grinding and kneading – Ref. 28191
- Additional fine-serrated, twin-blade assembly Ref. 27169

# Single-phase – power cord and plug supplied 260 330 385