


BA16H

Backbar Cooler



Product Features

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- Double glazed tempered glass
- Reversible glass door
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- Adjustable shelves
- LED interior light
- Lock



Adjustable wire shelves



Electronic thermostat

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat.

The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has a reversible aluminium door with double glazed tempered glass. This helps save energy, but it also means a great product visibility.

Design and Material		Measures and Content		Power and Consumption	
Door No & Type	1 hinged glass door	Total Display Area	m ² 0.35	Energy Class	A
Door Reversible	Yes	Temperature Range	°C +2 to +10	Energy Consumption	kWh/24h 0.96
Tempered glass	Yes	Climate Class	4	Annual Energy Cons.	kWh/year 350
Shelves No & Type	2 wire shelves chrome	Gross / Net Weight	kg 52 / 46	Max Ambient	30°C at 55% RH
Shelf Color	Chrome	Gross / Net Volume	l 125 / 115	Input Power	W 95
Shelf Dimensions	495x350 mm	Cooling and Functions		Voltage / Frequency	V/Hz 220-240/50
Feet / Legs	4 adjustable feet			Noise Level	dB(A) 44
Exterior Finish	Black	Type of Controller	Electronic	Dimensions	
Interior Finish	Stucco aluminium	Type of Cooling	Ventilated		
Interior Light	LED	Type of Defrost	Automatic	Internal Dimension (WxDxH)	mm 510 x 418 x 720
Lock	Yes	Refrigerant	R600a	External Dimension (WxDxH)	mm 600 x 520 x 870
		Refrigerant Charge	g 55	Packed Dimension (WxDxH)	mm 685 x 575 x 940
		Thermometer	Yes	40ft Container Load	pcs 136